

Recent Publication Activities in Japan

**Submitted to the Executive Committee Meeting, IAPWS,
Moscow, Russia, June 2014**

Japanese National Committee of IAPWS
 c/o The 139th Committee on Steam Properties
 Japan Society for the Promotion of Science (JSPS)
 5-3-1, Kojimachi, Chiyoda-ku
 Tokyo 102-0083, Japan

ADSCHIR Tadafumi,

Professor, WPI-AIMR, Tohoku University; email: ajiri@tagen.tohoku.ac.jp,

URL:<http://www.tagen.tohoku.ac.jp/modules/laboratory/index.php?laboid=49>

- [1] Lu, J.F., Minami, K., Takami, S., Adschari, T., "Rapid and continuous synthesis of cobalt aluminate nanoparticles under subcritical hydrothermal conditions with in-situ surface modification", Chem. Eng. Sci., in press. DOI : 10.1016/j.pcrygrow.2011.10.006.
- [2] Taguchi M., Takami, S., Adschari, T., Nakane, T., Sato, K., Naka,T., "Simple and rapid synthesis of ZrO₂ nanoparticles from Zr(OEt)₄ and Zr(OH)₄ using a hydrothermal method ", Cryst Eng Comm., 14,2117(2012). DOI : 10.1039/C2CE06408A.
- [3] Taguchi, M., Takami, S., Adschari, T., Nakane, T., Sato, K., Naka,T., "Synthesis of surface-modified monoclinic ZrO₂ nanoparticles using supercritical water", Cryst Eng Comm.,14, 2132(2012). DOI : 10.1039/C2CE06409j.
- [4] Takami, S., Sugioka,K., Tsukada,T., Adschari,T., Sugimoto,K., Takenaka, N., Saito Y., "Neutron radiography on tubular flow reactor for hydrothermal synthesis: In situ monitoring of mixing behavior of supercritical water and room-temperature water", J. Supercrit.Fluid.,63, 46(2012). DOI : 10.1016/j.supflu.2011.11.010.
- [5] Rangappa, D ., Ohara, S., Takami, S., Naka, T., Kondo, A, Ishii, M., Kobayashi, T., Adschari, T., "Preparation of aqueous dispersible styrene-maleic amide encapsulated CoAl₂O₄ nanocrystals using supercritical water flow type apparatus", Mater. Res Innov., 16, 30(2012). DOI : 10.1179/1433075X11Yj.0000000017.
- [6] A.Sahranshin, S.Takami, K. Minami, D.Hojo, T.Arita, T.Adschari, "Synthesis and morphology control of surface functionalized nanoscale yttrium aluminum garnet particles via supercritical hydrothermal method", Progress in Crystal Growth and Characterization of Materials, 58,43(2012). DOI : 10.1016/j.pcrygrow.2011.10.004.
- [7] Javier V., Watanabe M., Watanabe N., Kishita A., Adschari,T., "Hydrothermal extractive upgrading of bitumen without coke formation", Fuel, 102, 379(2012). DOI : 10.1016/j.fuel2012.07.024.
- [8] Sahranshin,A., Takami,S., Hojo,D., Minami,K., Arita,T., Adschari,T., "Synthesis of shape-controlled and organic-hybridized hafnium oxide nanoparticles under sub- and supercritical hydrothermal conditions", J. Supercrit. Fluid, 62, 190(2012). DOI : 10.1016/j.supflu.2011.10.019.
- [9] Lu, J.F., Minami,K., Takami,S., Shibata,M., Kaneko,Y., Adschari,T., "Supercritical Hydrothermal Synthesis and In situ Organic Modification of Indium Tin Oxide Nanoparticles Using Continuous-Flow Reaction System", ACS Applied Materials & Interfaces, 4, 351(2012). DOI : 10.1021/am2014234.

- [10] Li,H., Arita,T., Takami,S., Adschiri, T., "Rapid Synthesis Of Tin-Doped Indium Oxide Microcrystals In Supercritical Water Using Hydrazine As Reducing Agent", Progress in Crystal Growth and Characterization of Materials, 57,117(2011). DOI : 10.1016/j.pcrysgrow.2011.10.006.
- [11] Seong,G.M.,Takami,S., Arita,T., Minami,K., Hojo,D., Yavari,A.R., Adschiri, T., " Supercritical hydrothermal synthesis of metallic cobalt nanoparticles and its thermodynamic analysis", J. Supercrit. Fluid, 60,113(2011). DOI : 10.1016/j.supflu.2011.05.003.
- [12] Ohara,S., Hatakeyama, Y., Umetsu,M., Tan, Z.Q., Adschiri, T., " Fabrication of Pd-DNA and Pd-CNT hybrid nanostructures for hydrogen sensors", Adv. Powder Tech., 22, 559(2011). DOI : 10.1016/j.apt.2011.05.006.
- [13] Togashi,T., Umetsu,M., Naka,T., Ohara, S., Hatakeyama,Y., Adschiri,T., "One-pot hydrothermal synthesis of an assembly of magnetite nanoneedles on a scaffold of cyclic- diphenylalanine nanorods", J. Nanoparticle Res., 13,3991(2011). DOI : 10.1007/s11051-011-0324-0.
- [14] Anirban,C., Kudo,A., Fujita, T., Chenb, M.W., Adschiri T., , "Nano-twinned structure and photocatalytic properties under visible light for undoped nano-titania synthesised by hydrothermal reaction in water-ethanol mixture", J.Supercrit. Fluid, 58,136(2011). DOI : 10.1016/j.supflu.2011.04.007.
- [15] Zhang, J., Naka, T., Ohara,S., Kaneko,K., Trevethan, T., A Shluger,. Adschiri T., "Surface ligand assisted valence change in ceria nanocrystals", Phys. Rev. B, 84, 045411 (2011). DOI : 10.1103/PhysRevB.84.045411.
- [16] Arita, T., Hitaka,H., Minami, K., Naka,T., Adschiri, T., "Synthesis and Characterization of Surface-modified FePt Nanocrystals by Supercritical Hydrothermal Method", Chem. Lett., 40, 588(2011). DOI : 10.1246/cl.2011.588.
- [17] Arita,T., Hitaka, H., Minami, K., Naka,T., Adschiri, T., "Synthesis of iron nanoparticle: Challenge to determine the limit of hydrogen reduction in supercritical water", J.Supercrit. Fluid, 57,183(2011). DOI : 10.1016/j.supful.2011.01.008.
- [18] Taguchi,M., Takami, S., Adschiri, T., Nakane,T., Sato, K., Naka T., "Supercritical hydrothermal synthesis of hydrophilic polymer-modified water-dispersible CeO₂ nanoparticles", Cryst. Eng.Comm., 13, 2841(2011). DOI : 10.1039/c0ce00467g.
- [19] Minami, K., Goto,S., Atashfaraz,M., Togashi, T., Arita, T., Hojo,D., Takami,S., Adschiri, T., "Oleic acid-enhanced dissolution of cellulose in high-temperature water", Res. Chem. Intermed., 37,415(2011). DOI : 10.1007/s11164-011-0271-5.
- [20] Arita,T., Yoo J.W., Adschiri, T., "Relation between the Solution-State Behavior of Self-Assembled Monolayers on Nanoparticles and Dispersion of Nanoparticles in Organic Solvents", J.phys.Chem.C, 115, 3899(2011). DOI : 10.1021/jp110172s.
- [21] Togashi, T., Yokoo,N., Umetsu,M., Ohara, S., Naka,T., Takami,S., Abe, H., Kumagai, I., Adschiri,T., "Material-binding peptide application-ZnO crystal structure control by means of a ZnO-binding peptide", J.Biosci.Bioeng., 111., 140(2011). DOI : 10.1016/j.jbiosc.2010.09.013.
- [22] Zhang,J., Kumagai,H., Yamamura,K., Ohara, S., Takami,S., a Morikawa, A., Shinjoh,H., Kaneko, K., Adschiri, T., Suda, A., "Extra-Low Temperature Oxygen Storage Capacity of CeO₂ Nanocrystals with Cubic Facets", Nano Lett., 11, 361(2011). DOI : 10.1021/nl102738n.
- [23] Adschiri,T., Lee Y.W., Goto,M., Takami, S., "Green materials synthesis with supercritical water", Green Chemistry : an international journal and green chemistry resource, 13, 1380(2011). DOI : 10.1039/c1gc15158d.

- [24] Togashi,T., Naka,T., Asahina,S., Sato, K., Takami,S., Adschiri, T., "Surfactant-Assisted One-pot Synthesis of Superparamagnetic Nanoclusters with Tunable size and magnetic field sensitivity", Dalton Transactions,40,1073(2011). DOI : 10.1016/j.ces.2012.01.061.

KOMETANI Noritsugu,

Associate Professor, Department of Applied Chemistry & Bioengineering, Osaka City University

email: kometani@a-chem.eng.osaka-cu.ac.jp,

URL: http://www.a-chem.eng.osaka-cu.ac.jp/kometani_group/index.html

- [1] Kometani, N., Sumiyoshi, Y., "Enhancement of Hydrothermal Oxidation of Chlorobenzene by the Fenton-type Reaction Using Cu(II)-grafted Tungsten Trioxide Catalyst", Chem. Lett., **42**, 804 (2013). DOI : 10.1246/cl.130313.
- [2] Shimokawa, A., Honda, H., Nakao, K., Kometani, N., "Catalytic Hydrothermal Oxidation of p-Chlorophenol with Cu or Fe-Grafted TiO₂. Enhanced Decomposition by Fenton-Type Reaction", J. Chem. Eng. Jpn., **46**, 821 (2013). DOI : 10.1252/jcej.13we093.
- [3] Kometani, N., Minamikawa, Y., "Spectroscopic Study of Solvation Properties of Room-Temperature Ionic Liquids and Solvent Effect on Bimolecular Fluorescence Quenching Reaction at High Pressures", Rev. High Press. Sci. Tech., **.23**, 332 (2013). DOI : 10.4131/jshpreview.23.332.
- [4] Su, L., Wang, Z., Yang, K., Minamikawa, Y., Kometani, N., Nishinari, K., "In situ observation of heat-and pressure-induced gelation of methylcellulose by fluorescence measurement", Int. J. Biol. Macromol., **64**, 409 (2014). DOI : 10.1016/j.ijbiomac.2013.12.021.

MATUBAYASI Nobuyuki,

Professor, Graduate School of Engineering Science, Osaka University

email: nobuyuki@cheng.es.osaka-u.ac.jp

URL: <http://www.cheng.es.osaka-u.ac.jp/matubayasi/english/index.html>

- [1] Sakuraba, S., and Matubayasi, N., "ERmod: Fast and Versatile Computation Software for Solvation Free Energy with Approximate Theory of Solutions", J. Comp. Chem. **35**, in press (2014).
- [2] Okazaki, Y., Taniuchi, T., Mogami, G., Matubayasi, N., and Suzuki, M., "Comparative Study on the Properties of Hydration Water of Na- and K-Halide Ions by Raman OH/OD-stretching Spectroscopy and Dielectric Relaxation Data", J. Phys. Chem. A **118**, 2922–2930 (2014). DOI : 10.1021/jp412804d.
- [3] Shimizu, S., and Matubayasi, N., "Preferential Solvation: Dividing Surface vs Excess Numbers", J. Phys. Chem. B **118**, 3922–3930 (2014). DOI : 10.1021/jp410567c.
- [4] Kameda, Y., Deguchi, H., Furukawa, H., Kubota, Y., Yagi, Y., Imai, Y., Yamazaki, N., Watari, N., Hirata, T., and Matubayasi, N., "Hydration Structure of CO₂-Absorbed 2-Aminoethanol Studied by Neutron Diffraction with the ¹⁴N/¹⁵N Isotopic Substitution Method", J. Phys. Chem. B **118**, 1403–1410 (2014). DOI : 10.1021/jp411780d.
- [5] Mogami, G., Miyazaki, T., Wazawa, T., Matubayasi, N., and Suzuki, M., "Anion-Dependence of Fast Relaxation Component in Na-, K-Halide Solutions at Low Concentrations Measured by High-Resolution Microwave Dielectric Spectroscopy", J. Phys. Chem. A **117**, 4851–4862 (2013). DOI : 10.1021/jp4012119.

- [6] Yoshida, Y., Matubayasi, N., Uosaki, Y., and Nakahara, M., “Effect of heavy hydrogen isotopes on the vibrational line shape for supercritical water through rotational couplings”, *J. Chem. Phys.*, **138**, 134508 (12 pages) (2013). DOI : 10.1063/1.4798933.
- [7] Ito, Y., Yoshidome, T., Matubayasi, N., Kinoshita, M., and Ikeguchi, M., “Molecular Dynamics Simulations of Yeast F₁-ATPase before and after 16° Rotation of the \square Subunit”, *J. Phys. Chem. B* **117**, 3298–3307 (2013). DOI : 10.1021/jp312499u.
- [8] Kimura, H., Nakahara, M., and Matubayasi, N., “Solvent Effect on Pathways and Mechanisms for D-Fructose Conversion to 5-Hydroxymethyl-2-furaldehyde: In Situ ¹³C NMR Study”, *J. Phys. Chem. A* **117**, 2102–2113 (2013). DOI : 10.1021/jp312002h.
- Karino, Y., and Matubayasi, N., “Interaction-component analysis of the urea effect on amino acid analogs”, *Phys. Chem. Chem. Phys.*, **15**, 4377–4391 (2013). DOI : 10.1039/c3cp43346c.
- [9] Ishikawa, T., Burri, R. R., Kamatari, Y. O., Sakuraba, S., Matubayasi, N., Kitao, A., and Kuwata, K., “A theoretical study of the two binding modes between lysozyme and tri-NAG with an explicit solvent model based on the fragment molecular orbital method”, *Phys. Chem. Chem. Phys.*, **15**, 3646–3654 (2013). DOI : 10.1039/c3cp42761g.
- [10] Takemura, K., Burri, R. R., Ishikawa, T., Ishikura, T., Sakuraba, S., Matubayasi, N., Kuwata, K., and Kitao, A., “Free-energy analysis of lysozyme–triNAG binding modes with all-atom molecular dynamics simulation combined with the solution theory in the energy representation”, *Chem. Phys. Lett.*, **559**, 94–98 (2013). DOI : 10.1016/j.cplett.2012.12.063.
- [11] Kameda, Y., Deguchi, H., Kubota, Y., Furukawa, H., Yagi, Y., Imai, Y., Tatsumi, M., Yamazaki, N., Watari, N., Hirata, T., and Matubayasi, N., “High-Energy X-ray Diffraction Study on the Intramolecular Structure of 2-Aminoethanol in the Liquid State”, *Bull. Chem. Soc. Japan* **86**, 99–103 (2013). DOI: 10.1246/bcsj.20120222.
- [12] Kawakami, T., Shigemoto, I., and Matubayasi, N., “Free-energy analysis of water affinity in polymer studied by atomistic molecular simulation combined with the theory of solutions in the energy representation”, *J. Chem. Phys.*, **137**, 234903 (9 pages) (2012). DOI : 10.1063/1.4770334.
- [13] Kubota, Y., Yoshimori, A., Matubayasi, N., Suzuki, M., and Akiyama, R., “Molecular dynamics study of fast dielectric relaxation of water around a molecular-sized ion”, *J. Chem. Phys.*, **137**, 224502 (4 pages) (2012). DOI : 10.1063/1.4769972.
- [14] Takemura, K., Guo, H., Sakuraba, S., Matubayasi, N., and Kitao, A., “Evaluation of protein-protein docking model structures using all-atom molecular dynamics simulations combined with the solution theory in the energy representation”, *J. Chem. Phys.*, **137**, 215105 (10 pages) (2012). DOI : 10.1063/1.4768901.
- [15] Yoshida, K., Matubayasi, N., Uosaki, Y., and Nakahara, M., “Density effect on infrared spectrum for supercritical water in the low- and medium-density region studied by molecular dynamics simulation”, *J. Chem. Phys.*, **137**, 194503 (10 pages) (2012). DOI : 10.1063/1.4766258.
- [16] Kimura, H., Yasaka, Y., Nakahara, M., and Matubayasi, N., “Nuclear magnetic resonance study on rotational dynamics of water and benzene in a series of ionic liquids: Anion and cation effects”, *J. Chem. Phys.*, **137**, 194503 (10 pages) (2012). DOI : 10.1063/1.4766258.

- [17] Kimura, H., Nakahara, M., and Matubayasi, N., “Non-catalytic Hydrothermal Elimination of Terminal D-Glucose Unit from Malto- and Cello-oligosaccharides through Transformation to D-Fructose”, *J. Phys. Chem. A* **116**, 10039–10049 (2012). DOI : 10.1021/jp3034165.
- [18] Shintani, M., Matsuo, Y., Sakuraba, S., and Matubayasi, N., “Interaction of naphthalene derivatives with lipid in membrane studied by ¹H-nuclear Overhauser effect and molecular dynamics simulation”, *Phys. Chem. Chem. Phys.*, **14**, 14049–14060 (2012). DOI : 10.1039/c2cp41984j.
- [19] Yoshidome, T., Ito, Y., Matubayasi, N., Ikeguchi, M., and Kinoshita, M., “Structural characteristics of yeast F₁-ATPase before and after 16-degree rotation of the γ subunit: Theoretical analysis focused on the water-entropy effect”, *J. Chem. Phys.*, **137**, 035102 (8 pages) (2012). DOI : 10.1063/1.4734298.
- [20] Tu, K. M., Matubayasi, N., Liang, K. K., Todorov, I. T., Chan, S. L., and Chau, P.-L., “A possible molecular mechanism for the pressure reversal of general anaesthetics: aggregation of halothane in POPC bilayers at high pressure”, *Chem. Phys. Lett.*, **543**, 148–154 (2012). DOI : 10.1016/j.cplett.2012.06.044.
- [21] Takahashi, H., Omi, A., Morita, A., and Matubayasi, N., “Simple and exact approach to the electronic polarization effect on the solvation free energy: Formulation for quantum-mechanical/molecular-mechanical system and its applications to aqueous solutions”, *J. Chem. Phys.*, **136**, 214503 (12 pages) (2012). DOI : 10.1063/1.4722347/.
- [22] Takeuchi, M., Matubayasi, N., Kameda, Y., Minofar, B., Ishiguro, S., and Umebayashi, Y., “Free-Energy and Structural Analysis of Ion Solvation and Contact Ion-Pair Formation of Li⁺ with BF₄⁻ and PF₆⁻ in Water and Carbonate Solvents”, *J. Phys. Chem. B* **116**, 6476–6487 (2012). DOI : 10.1021/jp3011487.

MIYAMOTO Hiroyuki,

Associate Professor, Department of Mechanical Systems Engineering, Toyama Prefectural University
email: miyamoto@pu-toyama.ac.jp

- [1] Ito, T. Nagata, Y. and Miyamoto, H., “Measurement of the (p , ρ , T) Properties for Pure Hydrocarbons at Temperatures up to 600 K and Pressures up to 200 MPa“, *Int. J. Thermophys.*, in press. DOI : 10.1007/s10765-012-1383-x.
- [2] Miyamoto, H., “(p , ρ , T , x) properties of CO₂/propane binary mixtures at 280 to 440 K and 3 to 200 MPa“, *Int. J. Thermophys.*, in press. DOI : 10.1007/s10765-012-1370-2.
- [3] Nangaku, H., Miyamoto, H., The study on the precise measurement of (vapor+liquid) equilibrium properties for (CO₂+isopentane) binary mixtures, The 10th Asian Thermophysical Properties Conference, Jeju, Korea, (2013).
- [4] Mochiduki, M., Miyamoto, H., Measurements of (p , ρ , T) properties for Isopentane in the temperature range from (280 to 440) K at pressures from (1 to 200) MPa, The 10th Asian Thermophysical Properties Conference, Jeju, Korea, (2013).
- [5] Muromachi, S., Shijima, A., Miyamoto, H., and Ohmura, R., Solubilities of Carbon Dioxide Gas for the Semiclathrate Forming System: Carbon Dioxide + Tetra-n-butylammonium Bromide + Water, The 10th Asian Thermophysical Properties Conference, Jeju, Korea, (2013).
- [6] Nagata, Y. Mizutani, K. and Miyamoto, H., “The precise measurement of the (vapour-liquid) equilibrium properties for (CO₂ + isobutane) binary mixtures“, *J. Chem. Thermodyn.*, 2011, 43, pp. 244-247.

- [7] Sugiyama, T. Orita, S. and Miyamoto, H., “(p , ρ , T , x) properties for CO₂/n-butane binary mixtures at T = (280 to 440) K and (3 to 200) MPa“, J. Chem. Thermodyn., 2011, 43, pp. 645-650.
- [8] Sugiyama, T. Orita, S. and Miyamoto, H., “(p , ρ , T , x) properties for CO₂/isobutane binary mixtures at T = (280 to 440) K and (3 to 200) MPa“, J. Chem. Thermodyn., 2011, 43, pp. 1851-1856.

NAKAHARA Masaru,

Emeritus Professor, Kyoto University

email: nakahara@scl.kyoto-u.ac.jp

- [1] Kimura, H., Hirayama, M., Yoshida. K., Uosaki, Y., Nakahara, M., “Effect of Water on Hydrolytic Cleavage of Non-Terminal α -Glucosidic Bonds in Cyclodextrins to Generate Monosaccharides and Their Derivatives in a Dimethyl Sulfoxide-Water Mixture”, J. Phys. Chem. A **118**, 1309–1319 (2014). Dx.doi.org/10.1021/jp412628y.
- [2] Kimura, H., Yoshida. K., Uosaki, Y., Nakahara, M., “Effect of Water Content on Conversion of D-Cellobiose into 5-Hydroxymethyl-2-furaldehyde in a Dimethyl Sulfoxide-Water Mixture”, J. Phys. Chem. A **117**, 10987–10996 (2013). Dx.doi.org/10.1021/jp407801u.
- [3] Yoshida, Y., Matubayasi, N., Uosaki, Y., and Nakahara, M., “Effect of heavy hydrogen isotopes on the vibrational line shape for supercritical water through rotational couplings”, J. Chem. Phys., **138**, 134508 (12 pages) (2013). DOI : 10.1063/1.4798933.
- [4] Kimura, H., Nakahara, M., and Matubayasi, N., “Solvent Effect on Pathways and Mechanisms for D-Fructose Conversion to 5-Hydroxymethyl-2-furaldehyde: In Situ ¹³C NMR Study”, J. Phys. Chem. A **117**, 2102–2113 (2013). DOI : 10.1021/jp312002h.
- [5] Yoshida, K., Matubayasi, N., Uosaki, Y., and Nakahara, M., “Density effect on infrared spectrum for supercritical water in the low- and medium-density region studied by molecular dynamics simulation”, J. Chem. Phys., **137**, 194503 (10 pages) (2012). DOI : 10.1063/1.4766258.
- [6] Kimura, H., Yasaka, Y., Nakahara, M., and Matubayasi, N., “Nuclear magnetic resonance study on rotational dynamics of water and benzene in a series of ionic liquids: Anion and cation effects”, J. Chem. Phys., **137**, 194503 (10 pages) (2012). DOI : 10.1063/1.4766258.
- [7] Kimura, H., Nakahara, M., and Matubayasi, N., “Non-catalytic Hydrothermal Elimination of Terminal D-Glucose Unit from Malto- and Cello-oligosaccharides through Transformation to D-Fructose”, J. Phys. Chem. A **116**, 10039–10049 (2012). DOI : 10.1021/jp3034165.

OKAWA Seiji,

Associate Professor, Department of Mechanical Sciences and Engineering,

Tokyo Institute of Technology

email: sokawa@mech.titech.ac.jp, URL:

<http://www.mech.titech.ac.jp/~netsus/index-e.html>

- [1] Okawa, S., and Taniguchi, Y., “Fundamental research on freezing of refrigerant by making use of a membrane”, Transactions of the Japan Society of Refrigerating and Air Conditioning Engineers, 28, (3), 311-318(2011).
- [2] Okawa, S., “Suppressing method of supercooling state in cool box using membrane”, Supercooling, InTech Open Access Publisher, Chapter 4, 55-70 (March, 2012).ISBN 978-953-51-0113-0.

- [3] Okawa, S., and Yamada, Y., "Research on freezing of refrigerant package with a small degree of Supercooling", 10th IIR International Conference on Phase Change Materials and Slurries, O97, pp.297-302 (Kobe, July 2012). ISBN 978-2-913149-91-5, ISSN 0151-1637.
- [4] Okawa, S., and Sendai, S., "Research on nucleation of water from an embryo using MD simulation", The 6th Asian Conference on Refrigeration and Air-conditioning, 2990, (in CD-ROM), (Xi'an, China, August 2012).

TSUCHIYA Noriyoshi,

Professor, Graduate School of Environmental Studies, Tohoku University

Email: tuchiya@mail.kankyo.tohoku.ac.jp,

URL: <http://geo.kankyo.tohoku.ac.jp>

- [1] Abe, J., Hirano, N., and Tsuchiya, N., "Infrared spectroscopic study of water in mesoporous silica under supercritical conditions" *Journal of Material Science*, 47, 7971-7977, (2012). DOI: 10.1007/s10853-012-6685-7.
- [2] Watanabe, T., Tsuchiya, N., Oura, Y., Ebihara, M., Inoue, C., Hirano, N., Yamada, R., Yamasaki, S.-I., Okamoto, A., Nara, F. W., and Nunohara, K., "Distribution of artificial radionuclides (^{110}mAg , ^{129}mTe , ^{134}Cs , ^{137}Cs) in surface soils from Miyagi Prefecture, northeast Japan, following the 2011 Fukushima Dai-ichi nuclear power plant accident" *Geochemical Journal*, 46, 279-285 (2012).
- [3] Ogawa, Y., Ishiyama, D., Shikazono, N., Iwane, K., Kajiwara, M., and Tsuchiya, N., "The role of hydrous ferric oxide precipitation in the fractionation of arsenic, gallium, and indium during the neutralization of acidic hot spring water by river water in the Tama River watershed, Japan" *Geochimica Cosmochimica Acta*, 86, 367-383 (2012). DOI: 10.1016/j.gca.2012.03.009.
- [4] Burenjargal, U., Okamoto, A., Meguro, Y., and Tsuchiya, N., "An exhumation pressure-temperature path and fluid activities during metamorphism in the Tseel terrane, SW Mongolia: Constraints from aluminosilicate-bearing quartz veins and garnet zonings in metapulites" *Journal of Asian Earth Sciences*, 54-55, 214-229 (2012). DOI: 10.1016/j.jseaes.2012.04.017.
- [5] Susanto, F., Tsuchiya, N., Suparka, E., Hirano, N., Kishita, A., and Kusumah, Y. I., "Geology and Surface Hydrothermal Alteration of Malabar Area, Northern Part of the Wayang Windu Geothermal Field, Indonesia" *Geothermal Resources Council Transaction*, 35, 1029-1031 (2011).
- [6] Tsuchiya, N., and Watanabe, N., "Advanced Direct Use of Geothermal Energy for Hydrogen Production and Material Conversion" *Geothermal Resources Council Transaction*, 35, 143-146 (2011).
- [7] Setiani, P., Vilcáez, J., Watanabe, N., Kishita, A., and Tsuchiya, N., "Sustainable and Enhanced Hydrogen Production from Biomass through Sulfur Redox Cycle using Georeactor" *Geothermal Resources Council Transaction*, 35, 135-138 (2011).
- [8] Setiani, P., Vilcáez, J., Watanabe, N., Kishita, A., and Tsuchiya, N., "Enhanced hydrogen production from biomass via the sulfur redox cycle under hydrothermal conditions" *International Journal of Hydrogen Energy*, 36, 10674-10682 (2011).
- [9] Watanabe, N., Ishibashi, T., Hirano, N., Ohsaki, Y., Tsuchiya, Y., Tamagawa, T., Okabe, H., and Tsuchiya, N., "Precise 3D Numerical Modeling of Fracture Flow Coupled With X-Ray Computed Tomography for Reservoir

Core Samples” SPE (Society of Petroleum Engineers) Journal,16(3), 683-691 (2011). DOI: 10.2118/146643-PA.

- [10] Zhang, S., Jin, F., Zeng, X., Hu, J., Huo, Z., Wang, Y., Watanabe, N., Hirano, N., and Tsuchiya, N., “Effects of general zero-valent metals power of Co/W/Ni/Fe on hydrogen production with H₂S as a reductant under hydrothermal conditions” International Journal of Hydrogen Energy,36, 8878-8884 (2011).
- [11] Takeda, A., Yamasaki, S.-I., Tsukada, H., Takaku, Y., Hisamatsu, S., and Tsuchiya, N., “Determination of total contents of bromine, iodine and several trace elements in soil by polarizing energy-dispersive X-ray fluorescence spectrometry” Soil Science and Plant Nutrition,57(1), 19-28 (2011).
- [12] Okamoto, A., Ogasawara, Y., and Tsuchiya, N., “Progress of hydration reactions in olivine-H₂O and orthopyroxenite-H₂O systems at 250 C and vapor-saturated pressure” Chemical Geology,289, 245-255 (2011).

TAKAKU Hiroshi,

Retired professor, Faculty of Engineering of Shinshu University, and a temporary technical adviser of Naigai Chemical Products Co., LTD.; e-mail: takaku06@ybb.ne.jp and/or h.takaku@naigai-chem.co.jp

- [1] Niu, L-B., Nakane, T. and Takaku, H., “Effect of pH Decrease Boiler Water on the Redox Behaviors and Oxide Film Characteristics of Boiler Tube Steels in Thermal Power Plants”, Journal of Japan Institute for Metals, 76, pp. 203-209 (2012).
- [2] Miyajima, M., Tsubakizaki, S., Ishihara, T. and Takaku, H., “Injection of Trace-Content Oxygen on FAC in Feed Water Treated with AVT(O) for Combined Cycle Power Plant”, Power Plant Chemistry, 14, pp. 524-531 (2012). DOI :
- [3] Miyajima, M., Yoshida, M., Marugame, K. and Takaku, H., “Effect of some Parameters on Single-Phase FAC Evaluated by Jet-In-Slit Testing Method for Materials of Combined Cycle Power Plant with HRSGs”, Power Plant Chemistry, 14, pp. 424-431 (2012). DOI : [4] Miyajima, M., Itou, Y., Yamamoto, H., Tsubakizaki, S. and Takaku, H., “Evaluation of the Applicability of AVT (O) Feedwater Treatment to Cycles with HRSGs”, Power Plant Chemistry, 14, pp.192-199 (2012). DOI :
- [5] Nakane, T., Niu, Li-B., Takaku, H. and Oishi, S., “Evaluation of Corrosion Resistances and Characteristics of Films Formed on Boiler Tube Steels in Simulated AVT Water”, Corrosion Engineering (J. Corrosion Engineering of Japan), 60, pp. 224-231 (2011). DOI :
- [6] Miyajima, M., Yoshida, M., Tsubakizaki, S. and Takaku, H., “Results and Future Prospects Concerning Water treatments for HRSG at CEPCO”, Power Plant Chemistry, 13, pp.532-541 (2011). DOI :

OKAZAKI Susumu,

Professor, Department of Applied Chemistry, Nagoya University; Furo-cho, Chikusa-ku, Nagoya 464-8603
Tel: +81-52-789-5828, Fax: +81-52-789-5118; email:okazaki@apchem.nagoya-u.ac.jp

- [1] Andoh Y., Okazaki S. and Ueoka R., “Molecular dynamics study of lipid bilayers modeling the plasma membranes of normal murine thymocytes and leukemic GRSL cells”, *Biochim. Biophys. Acta, Biomembr.* **1828**, 1259-1270 (2013). DOI: 10.1016/j.bbamem.2013.01.005.
- [2] Andoh Y., Yoshii N., Fujimoto K., Mizutani K., Kojima H., Yamada A., Okazaki S., Kawaguchi K., Nagao H., Iwahashi K., Mizutani F., Minami K., Ichikawa S., Komatsu H., Ishizuki S., Takeda Y. and Fukushima M., “MODYLAS: A highly parallelized general-purpose molecular dynamics simulation program for large-scale

systems with long-range forces calculated by fast multipole method (FMM) and highly scalable fine-grained new parallel processing algorithms”, *J. Chem. Theory and Com.*, **9**, 3201-3209 (2013). DOI: 10.1021/ct400203a

- [3] Kawaguchi K, Saito H, Okazaki S, Nagao H., “Molecular dynamics study on the free energy profile for dissociation of ADP from N-terminal domain of Hsp90”, *Chem. Phys. Lett.* **588**, 226-230(2013). DOI: 10.1016/j.cplett.2013.10.015.
- [4] Yagasaki T, Matsumoto M, Andoh Y, Okazaki S, Tanaka, H, “Effect of bubble formation on the dissociation of methane hydrate in water: A molecular dynamics study” *J. Phys. Chem. B* **118**, 1900-1906 (2014). DOI: 10.1021/jp412692d.
- [5] Andoh Y, Muraoka S. and Okazaki S., “Molecular dynamics study of changes in physic-chemical properties of DMPC lipid bilayers by addition of nonionic surfactant C₁₂E₁₀”, *Mol. Simul.* (2014), in press.

SAWAMURA Seiji,

Professor, Department of Applied Chemistry, Ritsumeikan University; email: sawamura@sk.ritsumei.ac.jp

- [1] Sawamura, S. and Ise, H., "Volume Change for Hydrophobic Hydraton of Biphenyl." *J. Solution Chem.*, **40**(11), 1899-1904 (2011).

TAKATA Yasuyuki,

Professor, International Institute for Carbon-Neutral Energy Research and Department of Mechanical Engineering, Kyushu University; email: takata@mech.kyushu-u.ac.jp
<http://www.mech.kyushu-u.ac.jp/~heat/>

- [1] N. Sakoda, K. Shindo, K. Motomura, K. Shinzato, M. Kohno, Y. Takata, M. Fujii, “Burnett Method with Absolute Pressure Transducer and Measurements for PVT Properties of Nitrogen and Hydrogen up to 473 K and 100MPa”, *International Journal of Thermophysics*, Vol.33, No.1, pp.6-21, 2012.
- [2] Adhika Widyaparaga, Masashi Kuwamoto, Naoya Sakoda, Masamichi Kohno, Yasuyuki Takata, “Theoretical and Experimental Study of a Flexible Wiretype Joule–Thomson Microrefrigerator for Use in Cryosurgery”, *Journal of Heat Transfer*, Vol. 134, Issue 2, 020903-1-7, 2012.
- [3] Yasuyuki Takata, Sumitomo Hidaka, Masamichi Kohno, “Effect of Surface Wettability on Pool Boiling - Enhancement by Hydrophobic Coating-”, *International Journal of Air-Conditioning and Refrigeration*, Vo.20, No.1, 1150003, 2012.
- [4] N. Sakoda, K. Shindo, K. Motomura, K. Shinzato, M. Kohno, Y. Takata, M. Fujii, “Burnett PVT Measurements of Hydrogen and the Development of a Virial Equation of State at Pressures up to 100 MPa”, *International Journal of Thermophysics*, Vol.33, No.3, pp.381-395, 2012.
- [5] E.-S. R. Negeed, S. Hidaka, M. Kohno, Y. Takata, “High speed camera investigation of the impingement of single water droplets on oxidized high temperature surfaces”, *International Journal of Thermal Sciences*, Vol.63, pp.1-14, 2013.
- [6] E. Yusibani, P.L. Woodfield, K. Shinzato, Y. Takata, M. Kohno, “A compact curved vibrating wire technique for measurement of hydrogen gas viscosity”, *Experimental Thermal and Fluid Science*, Vol.47, pp.1-5, 2013.

- [7] Bambang Joko Suroto, Masahiro Tashiro, Sana Hirabayashi, Sumitomo Hidaka, Masamichi Kohno, Yasuyuki Takata, "Effects of Hydrophobic-Spot Periphery and Subcooling on Nucleate Pool Boiling from a Mixed-Wettability Surface", Journal of Thermal Science and Technology, Vol. 8, No. 1, pp.294-308, 2013.
- [8] Khellil Sefiane, Yuki Fukatani, Yasuyuki Takata, Jungho Kim, "Thermal Patterns and Hydrothermal Waves (HTWs) in Volatile Drops", Langmuir, Vol.29, pp.9750-9760, 2013.
- [9] E.-S.R. Negeed, S. Hidaka, M. Kohno, and Y. Takata, "Effect of the surface roughness and oxidation layer on the dynamic behavior of micrometric single water droplets impacting onto heated surfaces", International Journal of Thermal Sciences, Vol. 70, pp.65-82, 2013.
- [10] Fukuda, S., Kohno, M., Tagashira, K., Ishihara, N., Hidaka, S., Takata, Y., "Behavior of small droplet impinging on a hot surface", Heat Transfer Engineering, Vol. 35, Issue 2, pp.204-211, 2014.
- [11] N. Sakoda. M. Kohno, Y. Takata, "Thermodynamic Behavior of Hydrogen Binary Systems with Critical Curve Divergence and Retrograde Condensation", Journal of Thermal Science and Technology, Vol.8, No.3, pp.603-612, 2013.
- [12] Deendarlianto, Yasuyuki Takata, Sumitomo Hidaka, Indarto, Adhika Widayaparaga, Samsul Kamal, Purnomo, Masamichi Kohno, "Effect of static contact angle on the droplet dynamics during the evaporation of a water droplet on the hot walls", International Journal of Heat and Mass Transfer, Vol.71, pp.691-705, 2014.
- [13] El-Sayed R. Negeeda, M. Albeiruttya, Y. Takata, "Dynamic behavior of micrometric single water droplets impacting onto heated surfaces with TiO₂ hydrophilic coating", International Journal of Thermal Sciences, Vol. 79, pp.1-17, 2014.

UCHIDA Hiroshi, PhD,

Senior Research Scientist, Research and Development Center for Global Change, Japan Agency for Marine-Earth Science and Technology; e-mail: huchida@jamstec.go.jp

- [1] Uchida, H., M. Aoyama, Y. Kayukawa, T. Tanaka, H. Mitsuda, and T. Kawano, "Developing high-quality data collection method of seawater density", Proceedings of the 16th International Conference on the Properties of Water and Steam, September 1-5, 2013, London, UK.
- [2] Kayukawa, Y., H. Uchida, and Y. Fujita, "Precise density measurements of sea water for global environmental monitoring, Second report: Absolute density measurements by a hydrostatic weighing method", Proceedings of the 34th Japan Symposium on Thermophysical Properties, November 20-22, 2013, Toyama, Japan (in Japanese with English abstract).

UCHIDA Shunsuke, PhD,

Research consultant, Nuclear Safety Research Center Japan Atomic Energy Agency, Telephone: +81 29 282 6792, 2-4 Shirane, Shirakata, Tokai-mura, 319-1195 Japan Facsimile: +81 29 282 5406
e-mail: uchida.shunsuke@jaea.go.jp

- [1] Uchida, S., Naitoh, M., Okada, H., Uehara, Y., and Koshizuka, S., "Evaluation of flow accelerated corrosion by coupled analysis of corrosion and flow dynamics. Relationship of oxide film thickness, hematite/magnetite ratio, ECP and wall thinning rate", Nucl. Eng. Design, 241, 4585–4593 (2011).

- [2] Naitoh, M., Uchida, S., Okada, H., and Koshizuka, S., "Validation of Code System DRAWTHREE-FAC for Evaluation of Wall Thinning due to Flow Accelerated Corrosion by PWR Feed Water Piping Analysis", Proc. ASME 2011 Pressure Vessel & Piping Division Conference, PVP2011, July 17-21, 2011, Baltimore, Maryland, USA, American Society of Mechanical Engineers, PVP2011- 57120 (2011).
- [3] Naitoh, M., Uchida, S., Okada, H., and Koshizuka, S., "Evaluation Method for Pipe Wall thinning due to Liquid Droplet Impingement (I) Overview", Proc. 14th International Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-14), Sep. 25-30, 2011, Toronto, Canada, Canadian Nuclear Society, N14P429 (2011) (in CD).
- [4] Okada, H., Uchida, S., Naitoh, M., and Koshizuka, S., "Evaluation Method for Pipe Wall thinning due to Liquid Droplet Impingement (II) Comparison of Calculations with Measurements at Actual Nuclear Plants", Proc. 14th International Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-14), Sep. 25-30, 2009, Toronto, Canada, Canadian Nuclear Society, N14P430 (2011) (in CD).
- [5] Uchida, S., Naitoh, M., Okada, H., Suzuki, H., Koikari, S., Koshizuka, S., and Lister, D. H., "The Effects of Ferrous Ion Transport in Bulk Water on FAC Rate", Power Plant Chemistry, 13 (10), 572-581 (2011).
- [6] Uchida, S., Naitoh, M., Okada, H., Suzuki, H., Koikari, S., Koshizuka, S., and Lister, D. H., "Key Parameters to Determine Wall Thinning due to Flow Accelerated Corrosion", ECS Transaction, 41 (25), 77 (2011).
- [7] Uchida, S., Naitoh, M., Okada, H., Ohira, T., Koshizuka, S., and Lister, D. H., "Verification and Validation of Evaluation Procedures for Local Wall Thinning due to Flow Accelerated Corrosion and Liquid Droplet Impingement", Nucl. Technol., 178, 280 (2012).
- [8] Uchida, S., Asakura, Y., and Suzuki, H., "Deposition of Boron on Fuel Rod Surface under Sub-cooled Boiling Conditions - An Approach toward Understanding AOA Occurrence", Nucl. Eng. Design, 241, 2398-2410 (2011).
- [9] Uchida, S., Naitoh, M., Okada, H., and Suzuki, H., "The Fukushima Dai-ichi NPP Accident Crisis and Its Influence on Energy Policy in Japan", Power Plant Chemistry, 13 (9), 546 (2011).
- [10] Uchida, S., Naitoh, M., Okada, H., and Suzuki, H., "Water Chemistry Guidance in Nuclear Power Plants in Japan", Nucl. Eng. Int., December, 30-31 (2011).
- [11] Uchida, S., Naitoh, M., Okada, H., and Suzuki, H., "Water Chemistry Guidance in Nuclear Power Plants in Japan", Power Plant Chemistry, 14 (1), 5-17 (2012)
- [12] S. Uchida, M. Naitoh, H. Okada, H. Suzuki, T. Ohira, S. Koshizuka and D. H. Lister, "Determination of Wall Thinning Rates and High-Risk Zones for Local Wall Thinning due to Flow-Accelerated Corrosion", Proc. Nuclear Plant Chemistry Conference 2012, NPC 2012, September 23-27, 2012, Paris, France, SFEN (2012) (in CD).
- [13] S. Uchida, M. Naitoh, H. Okada, H. Suzuki S. Koshizuka and D. H. Lister, "Determination of High-Risk Zones for Local Wall Thinning due to Flow-Accelerated Corrosion", Proc. 1st ICMST Conference 2012, Nov., 11-14, 2012, Tokyo, Japan, Japan Society of Maintenology (2012).
- [14] S. Uchida, M. Naitoh, H. Okada, H. Suzuki, S. Koshizuka and D.H. Lister, "Determination of High Risk Zones for Local Wall Thinning due to Flow-Accelerated Corrosion", Proc. Int. Conf. on Flow Accelerated Corrosion, FAC2013, May 21-24, 2010, Avignon, France, EdF (2013) (in CD).

- [15] H. Okada, S. Uchida, M. Naitoh, H. Suzuki, S. Koshizuka and D.H. Lister, "Determination of High Risk Zones for Local Wall Thinning due to Flow-Accelerated Corrosion", Proc. Flow-Accelerated Corrosion in Fossil and Combined Cycle/HRSG Plants Int. Conf., Arlington, VA, Mar. 26-28 (2013)(in CD).
- [16] P. Phromwong, D. Lister and S. Uchida, "Modelling Material Effects in Flow-Accelerated Corrosion", Proceedings of the 15th International Conference on Environmental Degradation of Materials in Nuclear Power Systems – Water Reactors, Aug. 7-11, 2011, Colorado Springs, Co, USA, The Minerals, Metals & Materials, 925-935 (2011).
- [17] F. Kojima and S. Uchida, "Advanced management of pipe wall thinning based on prediction-monitor fusion", Nuclear Safety and Simulation, 3 (3), 194-200 (2012).
- [18] S. Uchida, M. Naitoh, H. Okada, H. Suzuki, S. Koikari, S. Koshizuka and D. H. Lister, "Determination Procedures of High Risk Zones for Local Wall Thinning due to Flow Accelerated Corrosion", Nucl. Technol. 180, 65-77 (2012).
- [19] S. Uchida, H. Suzuki, M. Naitoh and H. Okada, "Water chemistry control for mitigating axial offset anomaly in PWRs", EUROCORRF 2012, Sep 2-7, 2012, Istanbul, Turkey, European Federation of Corrosion (2012) (in CD).
- [20] S. Uchida S. Hanawa, Y. Nishiyama, T. Nakamura, T. Satoh and T. Tsukada,, "Determination of Electrochemical Corrosion Potential along the JMTR In-pile Loop (I), Evaluation of ECP of Stainless Steel in High Temperature Water as a Function of Oxidant Concentrations and Exposure Time", Nucl. Technol., 183 (1), 119-135 (2013).
- [21] S. Hanawa, T. Nakamura, S. Uchida, P. Kus, R. Vsolak and J. Kysela, "Determination of Electrochemical Corrosion Potential along the JMTR In-pile Loop (II), In-pile ECP Measurements and their Evaluation by Model Calculations", Nucl. Technol., 183 (1), 136-148 (2013).
- [22] S. Uchida and Y. Katsumura, "WATER CHEMISTRY TECHNOLOGY – ONE OF THE KEY TECHNOLOGIES FOR SAFE AND RELIABLE NUCLEAR POWER PLANT OPERATION, J. Nucl. Sci. Technol., 50 (4), 346-362 (2013).
- [23] H. Okada, A. Takahashi, H. Suzuki, S. Uchida and M. Naitoh, "Analysis of Accident Propagation of Fukushima Daiichi Nuclear power Plant with Sampson Code (2) Unit 2", Proc. the 15th International Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-15), 2013 (Pisa, Italy), NURETH15-075 (in CD).
- [24] S. Uchida, M. Naitoh, H. Okada, H. Suzuki, S. Koshizuka and D. H. Lister, "Determination of High Risk Zones for Local Wall Thinning due to Flow-Accelerated Corrosion", Power Plant Chemistry, 15 (4), 252-263 (2013).
- [25] S. Uchida, M. Naitoh, H. Okada, H. Suzuki S. Koshizuka and D. H. Lister, "Determination of High-Risk Zones for Local Wall Thinning due to Flow-Accelerated Corrosion", Japan Society of Maintenology E-Journal of Advanced Maintenance, 5 (2), 101-112 (2013).
- [26] H. Suzuki, S. Uchida, M. Naitoh, H. Okada and S. Koikari, Y. Nagaya, A. Nakamura, S. Koshizuka and D. H. Lister, "Verification and Validation of One-Dimensional Flow-Accelerated Corrosion Evaluation Code", Nuclear Technology, 183 (1), 280-297 (2013).
- [27] H. Suzuki, S. Uchida, M. Naitoh, H. Okada, S. Koikari, K. Hasegawa, F. Kojima, S. Koshizuka and D. H. Lister, "Risk Evaluation of Flow-Accelerated Corrosion Based on One-Dimensional FAC Code", Nuclear Technology, 183 (2), 194-209 (2013).

- [28] S. Uchida, M. Naitoh, H. Suzuki, H. Mizouchi and H. Okada, "Post-Nuclear Accident Activities and Energy Policies in Japan", Proc. The 16th Int. Conf. Properties of Water and Steam, Sep 1-5, 2013, University of Greenwich, London, UK, International Association for properties of Water and Steam (2013)
- [29] M. Naitoh, S. Uchida, H. Suzuki and H. Okada , "Nuclear Accident in Fukushima Daiichi NPP and Its Influence on Nuclear Energy in Japan", Proc. ibid.
- [30] D. H. Lister, P. Srisukvatananan and S. Uchida, "Sampling Nuclear Reactor Coolant Systems", ibid.
- [31] S. Uchida, H. Okada, H. Suzuki and M. Naitoh, "Contribution of Probabilistic Risk Evaluation of Flow-Accelerated Corrosion to System Safety Analysis of Aging NPPs", ibid.
- [32] S. Uchida, M. Naitoh, H. Okada, H. Suzuki, S. Koikari, F. Kojima, S. Koshizuka and D. H. Lister, "Probabilistic Risk Evaluation of Flow-Accelerated Corrosion and Its Application to System Safety Analysis of Aging NPPs", Proc. Water Chemistry and Corrosion in Nuclear Power Plants in Asia (Oct. 14-17,2013, Taichung, Taiwan).
- [33] S. Uchida, Y. Wada, S. Yamamoto, J. Takagi and K. Hisamune, "Verification and validation procedures of calculation codes for determining corrosive conditions in the BWR primary cooling system based on water radiolysis and mixed potential models", *J. Nucl. Sci. Technol.*, **51** (1) 24–36 (2014).

UENO Masakatsu,

Professor emeritus, Department of Molecular Chemistry and Biochemistry, Doshisha University
email: sk112652@mail.doshisha.ac.jp

- [1] Okada, M., Ibuki, K., and Ueno M., "Pressure Effect on the Rotational Correlation Time of Water in *N,N*-Dimethylformamide-Water Mixtures at 25°C", Bull. Chem. Soc. Jpn., in press. doi : 10.1246/bcsj.20120117.
- [2] Okada, M., Ibuki, K., and Ueno M., "Temperature Effect on the Rotational Correlation Time of Water in Formamide- and *N,N*-Dimethylformamide-Water Mixtures", Bull. Chem. Soc. Jpn., **85**, 189 (2012). doi : 10.1246/bcsj.20110233.
- [3] Matsui, T., Hoshina, T., Tsuchihashi, N., Ibuki, K., and Ueno, M., "Electric conductivities of 1:1 electrolytes in high-temperature ethanol along the liquid-vapor coexistence curve. II. Tetraalkylammonium bromides", *J. Chem. Phys.*, **134**, 124509 (2011). doi : 10.1063/1.3570835.

YASUOKA Kenji,

Professor, Department of Mechanical Engineering, Keio University
email: yasuoka@mech.keio.ac.jp, URL: <http://www.yasuoka.mech.keio.ac.jp/>

- [1] Hiratsuka, M., Ohmura, R., Sum, A. K., Yasuoka, K, "Vibrational Spectra of Deuterated Methane and Water Molecules in Structure I Clathrate Hydrate from ab initio MD simulation", Molec. Simul., in press.
- [2] Kaneko, T., Bai, J., Yasuoka, K., Mitsutake, A., and Zeng, X.,, "Liquid-solid and solid-solid phase transition of monolayer water: High-density rhombic monolayer ice", *J. Chem. Phys.*, in press.
- [3] Takahashi, K. Z., Yasuoka, K., "A determination of liquid-vapor interfacial properties for methanol using a linear-combination-based isotropic periodic sum", Molec. Simul., in press.
- [4] Shibuya, T., Yasuoka, K., Mirbt, S. and Sanyal, B., "Bipolaron Formation Induced by Oxygen Vacancy at Rutile TiO₂(110) Surfaces", *J. Phys. Chem. C*, in press.

- [5] Yamamoto, E., Akimoto, T., Yasui M., and Yasuoka K., "Origin of subdiffusion of water molecules on cell membrane surfaces", *Sci. Rep.*, **4**, 4720(2014). DOI : 10.1038/srep04720.
- [6] Yamamoto, E., Akimoto, T., Hirano, Y., Yasui M., and Yasuoka K., "1/f fluctuations of amino acids regulate water transportation in aquaporin 1", *Phys. Rev. E*, **89**, 022718(2014). DOI : 10.1103/PhysRevE.89.022718.
- [7] Shibuya, T., Goto, Y., Kamihara, Y., Matoba, M., Yasuoka, K., Burton, L.A., and Walsh, A., "From kesterite to stannite photovoltaics: stability and band gaps of the Cu₂(Zn,Fe)SnS₄ alloy", *App. Phys. Lett.*, **104**, 021912(2014). (4 pages) DOI : 10.1063/1.4862030.
- [8] Arai, N., Akimoto, T., Yamamoto, E., Yasui M., and Yasuoka K., "Poisson property of the occurrence of flip-flops in a model membrane", *J. Chem. Phys.*, **140**, 064901(2014). (8 pages) DOI : 10.1063/1.4863330.
- [9] Giangreco, F., Yamamoto, E., Hirano, Y., Hodoscek, M., Knecht, V., di Giosia, M., Calvaresi, M., Zerbetto, F., Yasuoka, K., Narumi, T., Masato Y., and Höfinger, S., "Common Force Field Thermodynamics of Cholesterol", *Sci. World J.*, **2013**, 207287(2013). (7 pages) DOI : 10.1155/2013/207287.
- [10] Dushanov, E., Kholmurodov, K., Yasuoka, K., Krasavin, E., "MD studies on conformational behavior of a DNA photolyase enzyme", *Physics of Particles and Nuclei Letters*, **10**, 597-605(2013). (9 pages) DOI : 10.1134/S1547477113060101.
- [11] Suh, D., Yasuoka, K. and Zeng, X.C., "Molecular Dynamics Simulation of Vapor Condensation on Nanotubes", *J. Heat Transfer*, in press.
- [12] Dushanov, E., Kholmurodov, Kh., Yasuoka, K., "Structural and diffusion properties of formamide/water mixture interacting with TiO₂ surface ", *Bioorganic Chemistry*, **50**, 11-16(2013). (6 pages) DOI : 10.1016/j.bioorg.2013.07.002.
- [13] Arai, N., Yasuoka, K., Zeng, X.C., "Vesicle Cell under Collision with Janus or Homogeneous Nanoparticle: Translocation Dynamics and Late-Stage Morphology", *Nanoscale*, **5**, 9089-9100(2013). (12 pages) DOI : 10.1039/C3NR02024J.
- [14] Kaneko, T., Bai, J., Yasuoka, K., Mitsutake, A., Zeng, X.C., "A New Computational Approach to Determine Liquid-Solid Phase Equilibria of Water Confined to Slit Nanopores", *J. Chem. Theory Comput.*, **9**, 3299-3310(2013). (12 pages) DOI : 10.1021/ct400221h.
- [15] Koishi, K., Yasuoka, K., Willow S.Y., Fujikawa S., and Zeng X.C., "Molecular Insight into Different Denaturing Efficiency of Urea, Guanidinium, and Methanol: A Comparative Simulation Study", *J. Chem. Theory Comput.*, **9**, 2540-2551(2013). (12 pages) DOI : 10.1021/ct3010968.
- [16] Arai, N. Yasuoka, K. Koishi, T. Ebisuzaki, T. Zeng, X.C., "Understanding Molecular Motor Walking along Microtubule: A Themo-sensitive Asymmetric Brownian Motor Driven by Bubble Formation", *J. Am. Chem. Soc.*, **135**, 8616-8624(2013). (14 pages) DOI : 10.1021/ja402014u.
- [17] Yamamoto, E., Akimoto, T., Hirano, Y., Yasui M., and Yasuoka K., "Power-Law Trapping of Water Molecules on the Lipid-Membrane Surface Induce Water Retardation", *Phys. Rev. E*, **87**, 052715(2013). (6 pages) DOI : 10.1103/PhysRevE.87.052715.
- [18] Akimoto, T., Kaneko, T., Yasuoka, K., and Zeng X.C., "Homogeneous Connectivity of Potential Energy Network in a Solidlike State of Water Cluster", *J. Chem. Phys.*, **138**, 244301(2013). (7 pages) DOI : 10.1063/1.4811289.

- [19] Kagawa, R., Hirano, Y., Taiji, M., Yasuoka, K., and Yasui, M., "Dynamic Interactions of Cations, Water and Lipids Influence on Membrane Fluidity", *J. Membr. Sci.*, **435**, 130-136(2013). DOI : 10.1016/j.memsci.2013.02.006.
- [20] Suh, D. and Yasuoka, K., "Kinetic Analysis on Nanoparticle Condensation by Molecular Dynamics", *J. Heat Transfer*, **135**, 101002(2013). (4 pages) DOI : 10.1115/1.4024495.
- [21] Arai, N., Yasuoka, K., and Zeng, X.C., "Phase diagrams of confined solutions of dimyristoylphosphatidylcholine (DMPC) lipid and cholesterol in nanotubes", *Microfluid. Nanofluid.*, **14**, 995-1010(2013). (16 pages) DOI : 10.1007/s10404-012-1107-3.
- [22] Takeuchi, F., Hiratsuka, M., Ohmura, R., Alavi, S., Sum, A. K. and Yasuoka, K., "Water Proton Configurations in Structures I, II and H Clathrate Hydrate Unit Cells", *J. Chem. Phys.*, **138**, 124505(2013). (12 pages) DOI : 10.1063/1.4795499.
- [24] Arai, N., Yasuoka, and K., Zeng, X.C., "Self-Assembly of Triblock Janus Nanoparticle in Nanotube", *J. Chem. Theory Comput.*, **9**, 179(2013). DOI : 10.1021/ct3007748.
- [25] Yokota, R., Barba, L. A., Narumi, T. and Yasuoka, K., "Petascale Turbulence Simulation Using a Highly Parallel Fast Multipole Method", *Comput. Phys. Comm.*, **184**, 445(2013). DOI : 10.1016/j.cpc.2012.09.011.
- [26] Suh, D. and Yasuoka, K., "Nanoparticle Growth Analysis by Molecular Dynamics: Cubic Seed", *J. Phys. Chem. B*, **116**, 14637(2012). DOI : 10.1021/jp3044658.
- [27] Hiratsuka, M., Ohmura, R., Sum, A. K., and Yasuoka, K., "Vibrational Modes of Methane in the Structure H Clathrate Hydrate from Ab initio Molecular Dynamics Simulation", *J. Chem. Phys.*, **137**, 144306(2012). DOI : 10.1063/1.4757914.
- [28] Shibuya, T., Yasuoka, K., Mirbt, S. and Sanyal, B., "A systematic study of polarons due to oxygen vacancy formation at the rutile TiO₂ (110) surface by GGA+U and HSE06 methods", *J. Phys.: Condens. Matter*, **24**, 435504(2012). DOI : 10.1088/0953-8984/24/43/435504.
- [29] Takahashi, K. Z., Narumi, T., Suh, D. and Yasuoka, K., "An improved isotropic periodic sum method that uses linear combinations of basis potentials", *J. Chem. Theory Comput.*, **8**, 4503(2012). DOI : 10.1021/ct3003805.
- [30] Feldman, T., Ostrovsky, M., Kholmurodov, K. and Yasuoka, K., "Model of Abnormal Chromophore-Protein Interaction for E181K Rhodopsin Mutation: Computer Molecular Dynamics Study", *The Open Biochemistry Journal*, **6**, 94(2012). DOI : 10.2174/1874091X01206010094.
- [31] Höfinger, S., Acocella, A., Pop, S. C., Narumi, T., Yasuoka, K., Beu, T. and Zerbetto, F., "GPU-Accelerated Computation of Electron Transfer", *J. Comput. Chem.*, **33**, 2351(2012). DOI : 10.1002/jcc.23082.
- [32] Murakami, D. and Yasuoka, K., "Molecular dynamics simulation of quasi-two-dimensional water cluster on ice nucleation protein", *J. Chem. Phys.*, **137**, 054303(2012). DOI : 10.1063/1.4739299.
- [33] Yamamoto, E., Akimoto, T., Shimizu, H., Hirano, Y., Yasui, M. and Yasuoka, K., "Diffusive Nature of Xenon Anesthetic Changes Properties of a Lipid Bilayer: Molecular Dynamics Simulations", *J. Phys. Chem. B*, **116**, 8989(2012). DOI : 10.1021/jp303330c.
- [34] Kholmurodov, K., Dushanov, E., Yasuoka, K., Khalil, H., Galal, A., Ahmed, S., Sweilam, N., and Moharram, H., "Molecular dynamics study of ethanol solvated by water on the Pt (1 1 1) surface", *Chemical Physics*, **402**, 41(2012). DOI : 10.1016/j.chemphys.2012.04.002.

- [35] Höfinger, S., Yamamoto, E., Hirano, Y., Zerbetto, F., Narumi, T., Yasuoka, K., and Yasuji, M., "Structural features of aquaporin 4 supporting the formation of arrays and junctions in biomembranes", *Biochimica et Biophysica Acta*, **1818**, 2234(2012). DOI : 10.1016/j.bbamem.2012.04.009.
- [36] Kholmurodov, K., Dushanov, E., and Yasuoka, K., "Molecular Dynamics Simulations of a DNA Photolyase Protein : High-Mobility and Conformational Changes of the FAD Molecule at Low Temperatures", *Advances in Bioscience and Biotechnology*, **3**, 169(2012). DOI : 10.4236/abb.2012.33025.
- [37] Eremin, R., Kholmurodov, K., Avdeev, M., Petrenko, V. and Yasuoka, K., "Molecular Dynamics Simulations on trans- and cis-Decalins: The Effect of Partial Atomic Charges and Adjustment of "Real Densities""", *Int. J. Chem.*, **4**, 14(2012). DOI : 10.5539/ijc.v4n1p14.
- [38] Kaneko, T., Mitsutake, A., and Yasuoka, K., "Multibaric-Multithermal Ensemble Study of Liquid-Solid Phase Transition in Lennard-Jones Particles", *J. Phys. Soc. Jpn.*, **81**, SA014(2012). DOI : 10.1143/JPSJS.81SA.SA014.
- [39] Dushanov, E., Kholmurodov, Kh., and Yasuoka, K., "The diffusion and concentration effects of formamide on a TiO₂ surface in the presence of a water solvent", *Natural Science*, **4**, 313(2012). DOI : 10.4236/ns.2012.45044.
- [40] Seki, H., Shibuya, Y., Kobayashi, D., Nohira, H., Yasuoka, K., and Hirose, K., "Estimation of breakdown electric-field strength while reflecting local structures of SiO₂ using first-principles molecular orbital calculation technique", *Jpn. J. Appl. Phys.*, **51**, 04DA07(2012). DOI : 10.1143/JJAP.51.04DA07.
- [41] Takahashi, K., Narumi, T., and Yasuoka, K., "Cutoff radius effect of the isotropic periodic sum method for polar molecules in a bulk water system", *Molec. Simul.*, **38**, 397(2012). DOI : 10.1080/08927022.2010.547857.
- [42] Kaneko, T., Yasuoka, K., and Zeng, X. C., "Liquid-solid phase transitions of Lennard-Jones particles confined to slit pores: Towards the construction of temperature-pressure-slit width phase diagram", *Molec. Simul.*, **38**, 373(2012). DOI : 10.1080/08927022.2010.539216.
- [43] Arai, N., Yasuoka, K., and Zeng, X. C., "Nanochannel with Uniform and Janus Surfaces: Shear Thinning and Thickening in Surfactant Solution", *Langmuir*, **28**, 2866(2012). DOI : 10.1021/la2034643.
- [44] Hiratsuka, M., Ohmura, R., Sum, A. K., and Yasuoka, K., "Molecular Vibrations of Methane Molecules in the Structure I Clathrate Hydrate from Ab Initio Molecular Dynamics Simulation", *J. Chem. Phys.*, **136**, 044508(2012). DOI : 10.1063/1.3677231.